CLAIM AMENDMENTS

Claims 1-59 (Canceled).

60.   (Currently Amended) A method comprising:

storing ~~on a receiver,~~ a user-selected option on a receiver, said option associated with an event in a video transmission;

monitoring and storing one video transmission on said receiver while tuning said receiver to display another video transmission, said monitoring to detect the event ~~, said tuning to display said another transmission~~; and

~~in response to~~ upon detecting the event, automatically switching from the display of said another video transmission to display said one video transmission ~~queuing said stored one video transmission for display~~, said display of said one transmission from a predetermined time before the occurrence of the event.

61.   (Previously Presented) The method of claim 60 including displaying said another video transmission in a portion of a display screen while displaying said one video transmission.

Claim 62.   (Canceled)

63.   (Previously Presented) The method of claim 60 including storing said another video transmission in a storage while displaying said one transmission.

64.   (Previously Presented) The method of claim 60 including storing more than one user-selected option, said options associated with different events in a video transmission.

65.   (Previously Presented) The method of claim 60 including storing a plurality of video transmissions and monitoring the transmissions for a user-selected option.

2

66. (Previously Presented) The method of claim 60 including displaying said one video transmission from a time of about forty-five seconds prior to the occurrence of the event.

67. (Previously Presented) The method of claim 60 including automatically queuing the stored one video transmission in response to detecting the event.

Claim 68. (Canceled)

69. (Previously Presented) The method of claim 60 including monitoring and storing said one video transmission while displaying said one transmission.

70. (Currently Amended) The method for claim 60 including displaying the ~~queued~~ said one video transmission from a predetermined time before the occurrence of the event to a predetermined time after the event.

71. (Currently Amended) The method of claim 60 including displaying the ~~queued~~ said one video transmission from a user-defined time before the occurrence of the event.

72. (Currently Amended) An article comprising a medium storing instructions that, if executed, enable a processor-based system to:

store on a receiver, a user-selected option, said option associated with an event in a video transmission;

simultaneously receive two video transmissions on said receiver;

monitor and store one of the video ~~transmission~~ transmissions on said receiver while said receiver is tuned to ~~another~~ the second video transmission, ~~said another transmission to be displayed~~ for display; and

in response to detecting the event in said one video transmission, ~~queue the~~ automatically switch from the display of the second video transmission to display said

3

~~stored~~ one video transmission, the ~~for~~ display of said one video transmission from a predetermined time before the occurrence of the event.

73.   (Previously Presented) The article of claim 72 further storing instructions that enable a system to display said another video transmission in a portion of a display screen while the one video transmission is displayed.

74.   (Previously Presented) The article of claim 72 further storing instructions that enable a system to replace the display of said another video transmission with the display of said one transmission.

75.   (Previously Presented) The article of claim 72 further storing instructions that enable a system to store said another video transmission in a storage while said one transmission is displayed.

76.   (Previously Presented) The article of claim 72 further storing instructions that enable a system to store more than one user-selected option, said options associated with different events in a video transmission.

77.   (Previously Presented) The article of claim 72 further storing instructions that enable a system to store a plurality of video transmissions and monitor the transmissions for a user-selected option.

78.   (Previously Presented) The article of claim 72 further storing instructions that enable a system to queue said one transmission from a time of about forty-five seconds prior to the occurrence of the event.

79.   (Previously Presented) The article of claim 72 further storing instructions that enable a system to automatically queue the stored one video transmission in response to detecting the event.

80. (Previously Presented) The article of claim 72 further storing instructions that enable a system to display a notification of the occurrence of the event and, in response to user input queue the stored transmission.

81. (Previously Presented) The article of claim 72 further storing instructions that enable a system to monitor and store said one video transmission while being displayed.

82. (Previously Presented) The article of claim 72 further storing instructions that enable a system to display the queued one video transmission from a predetermined time before the occurrence of the event to a predetermined time after the event.

83. (Previously Presented) The article of claim 72 further storing instructions that enable a system to display the queued one video transmission from a user-defined time before the occurrence of the event.

84. (Currently Amended) A receiver comprising:

a processor;

a display device coupled to the processor; and

a storage coupled to said processor, said storage storing instructions that enable the processor to receive on a receiver, a user-selected option which is associated with an event in a video transmission, monitor and store one video transmission while said receiver is tuned to a second another video transmission[[,]] to display said second another video transmission on the display, and in response to detecting the event in the one video transmission, automatically replace the display of said second video transmission with the display of queue the stored one video transmission to display on the display device from a predetermined time before the occurrence of the event.

85. (Previously Presented) The receiver of claim 84 including a television system coupled to the receiver.

86.   (Previously Presented) The receiver of claim 85 including a remote control coupled to the receiver.

87.   (Previously Presented) The receiver of claim 84 wherein the display is a monitor.

88.   (Previously Presented) The receiver of claim 84 wherein the receiver is a set-top box.